



NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

COMPANY PROFILE

Newcore Global Pvt. Ltd. was founded in Noida, India in 2009. We are based fast growing one- stop global sourcing and supply chain management solutions provider for steel products, business consulting, and trading agency.

We have expertise not only in exporting steel products but also in importing raw material. our main exporting products are HRC, HR Cutting Sheets, HR plate, CR Coils, Electrical steel coil(CRGO/CRNGO), CR Sheets, GI/GL coils, Wire Rod/D-bar, PPGI/PPGL, H Beam, Angle, Channel, Round bar, Tube...etc. the main importing product are raw materials for steel industry, such as mill scale, steel scrap, used rail, used drill pipe.

Beside this, we are specialized in supplying the steel product for the project requirement, like Oil and Gas, Shipbuilding, Hydraulic power, Factory housing, and PEB structures. We will analysis the demand, make technical agreement with mill, and arrange the production and shipment in time, we could satisfy the various size, spec, and with the flexible minimum order quantity.

After Ten years development, we have built one experienced, energetic and enthusiastic team. Meanwhile, we have provided all kinds of steel products to ten countries in the world.

We are holding our philosophy as "Responsibility, Details, Proactivity, Team-Working", to bring the add-value to the customer, to build high-efficiency and low-cost steel supply chain, to satisfy all kinds of your demand about the steel!

We will be happy to hear from you any time, and let's work together, Win together!

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka- 12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**



NEWCORE GLOBAL PVT. LTD.


REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

Who We Are & What We Do?



We are renowned trading company having presence all over the world with having offices in Delhi NCR- India & Dhaka- Bangladesh. We are associated with "YINGKOU LIAOHE PIPE FITTINGS CO LTD, CHINA".



**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka- 12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**



NEWCORE GLOBAL PVT. LTD.


REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

Our Advantage

1. Delivery---JIT (Just In Time)
2. Lead time---within 3- 4weeks (but within 5 working days from the signed contract date we must receive the customers' advanced payment or sight L/C)
3. Reliable supplier
4. Best service for the customers(through all the business deals)
5. Competitive price
6. Ease to find what you want and wish develop with you together, provide the best price and high quality products and services for our customers and we are dedicated to carry towards the goal of top-ranking supplier of global steel market

Supply Chain Flow:



**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka- 12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**



NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193



**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph: +8801713277745
Email ID: bangladesh@newcore.net.in**



NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

Products We Deal:

1. Flat Rolled Product

- Cold rolled full hand & CRCA Coils
- Galvanized Coils / Galvalume Coils
- PPGI Coils / PPGL Coils
- HRC / HRPO / HR Chequered sheets & Plates
- Tinplates / Electrical Steel / Electro Galvanised steel
- Ship building Plates, API Coils / API Plates

2. Long Products

- Reinforcing bars – Plain & deformed
- Profile – IPN, UPN, IPE, HEA, HEB, HEM, Wide flanged beams
- Merchant Bars – Round Bars, Squares, Angles, Channels, Flat bars, Special shapes
- Wire Roads & Wire / Wire Mesh
- Billets & Scraps

3. Tubes / Pipes / Pipe Fittings / Valves / Nozzles / Caps.

4. Non Ferrous Product

- Aluminum Coils, Al Profiles, Al master alloys, Al foils, Al painted sheet, Al circles

5. Stainless Steel

- Coils of 304/304L/316/316L/321/904/409L
- Stainless steel tubes & pipes
- Stainless steel pipe fittings, round bars & profiles

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**



NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

Specifications:

1 HOT ROLLED STEEL PLATE

CATEGORY	STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	DELIVERY CONDITION
STEEL PLATE FOR SHIPBUILDING AND OFFSHORE	A, B, D	3.0~150	1000~4800	3000~21000	ABS, BV, DNV, GL, KR, LR, NK, RINA, CCS RULES	AR, TMCP, N, Q&T
	A32, D32, E32, F32	4.0~100	1000~4800	3000~21000		
	A36, D36, E36, F36	4.0~100	1000~4800	3000~21000		
	A40, D40, E40, F40	5.0~100	1000~4800	3000~21000		
	E420, 460, 500, 550	5.0~100	1000~4800	3000~21000		
	E620, 690	5.0~100	1000~4800	3000~21000		
	AQ43, DQ43, EQ43	5.0~100	1000~4800	3000~21000		
	AQ47, DQ47, EQ47	5.0~100	1000~4800	3000~21000		
	AQ51, DQ51, EQ51	5.0~100	1000~4800	3000~21000		
	AQ56, DQ56, EQ56	5.0~100	1000~4800	3000~21000		
	AQ63, DQ63, EQ63	5.0~100	1000~4800	3000~21000		
	AQ70, DQ70, EQ70	5.0~100	1000~4800	3000~21000		
	Z15, Z25, Z35	5.0~100	1000~4800	3000~21000		
	API 2H/2Y/2MT1/2W	6.0~150	1000~4800	3000~21000	API	
S355G, S420G, S460G	5.0~150	1000~4800	3000~21000	EN10225		
CARBON STEEL	Q235A/B/C/D	5.0-380	1000~4800	3000~21000	GB/ASTM/JIS/EN	AR, TMCP, N
	Q275A/B/C/D	5.0-380	1000~4800	3000~21000		
	ASTM A36, A283GR.C/D	5.0-380	1000~4800	3000~21000		
	A573GR58/65/70	5.0-380	1000~4800	3000~21000		
	SS400, SM400A/B/C	5.0-380	1000~4800	3000~21000		
	S235JR/J0/J2	5.0-380	1000~4800	3000~21000		
	S275JR/J0/J2	5.0-380	1000~4800	3000~21000		
	S275N/NL	5.0-380	1000~4800	3000~21000		
S275M/ML	5.0-380	1000~4800	3000~21000			
HIGH STRENGTH LOW ALLOY STRUCTURAL STEELS	Q345BA/B/C/D/E, Q390A/B/C/D/E, Q420A-E, Q460A-E, Q500C-E, Q550C-E, Q520C-E, Q690C-E, Q890D-E, Q960D-E; S355JR/J0/J2/K26, S355N, S355NL, S355M, S355ML, S420M, S420ML, S420N, S420NL, S460M, S460ML, S460N, S460NL, S500Q/QL/QL1, S550Q/QL/QL1, S690Q/QL/QL1, S890Q/QL/QL1, S960Q/QL; SM490, SM520, SM570; A572GR42/50/55/6	5.0-250	1500~4800	3000~21000	GB/EN/JIS/ASTM	AR, TMCP, N, Q&T
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
BOILER AND PRESSURE VESSEL STEELS	Q245R, Q345R, Q370R, P235GH, P265GH, P295GH, P355GH, 16MO3, 19MN6, P275NH/NL1/NL2, P355N/NH/NL1/NL2~P690Q/QH/QL1/QL2; A285GRC, A515GR55~70, A516GR55~70, A537CL1/CL2/CL3, A612, A662GRB/C, A299GRA/B, A387GR11CL2, A387GR12CL2, A387GR22CL2, A517GRA/B/E	5.0-250	1500~4800	3000~21000	GB/EN/JIS/ASTM	AR, CR, TMCP, N, Q&T
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
		5.0-250	1500~4800	3000~21000		
WEAR-RESISTANT STEEL	NM300, NM360, NM400, NM450, NM500, NM550, NM600	4.0~80	1500~4800	3000~21000	GB/T 24186-2009 OR TECHNICAL AGREEMENT	Q&T
		4.0~80	1500~4800	3000~21000		
		4.0~80	1500~4800	3000~21000		
		4.0~80	1500~4800	3000~21000		
PIPELINE STEEL	X42, X46, X52, X56, X60, X65, X70, X80, X90	7.0~50	1500~4800	4000~21000	TECHNICAL AGREEMENT	AR, CR, TMCP, N, Q&T
		7.0~50	1500~4800	4000~21000		
		7.0~50	1500~4800	4000~21000		
		7.0~50	1500~4800	4000~21000		
STRUCTURAL STEEL FOR BRIDGE	A709GR50, A709-50T, A709-50F	5.0~150	1500~4800	3000~21000	ASTM	AR, CR, N
		5.0~150	1500~4800	3000~21000		
		5.0~150	1500~4800	3000~21000		
		5.0~150	1500~4800	3000~21000		

Delhi NCR Office- Office No 1126, I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586

Dhaka Office: Road No. 19/C, House No. 284, New DOHSS Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in



NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

WEATHER RESISTANT STEEL	A588GRA/B/C/K、A709GR50W、A424、S355J2W S355J0W、S355K2W、S355J0WP、S355J2WP	5.0~150	1500~4800	3000~21000	ASTM/EN	AR、CR、N
		5.0~150	1500~4800	3000~21000		
		5.0~150	1500~4800	3000~21000		
		5.0~150	1500~4800	3000~21000		
HIGH QUALITY CARBON STEEL	S35C、S45C、S50C、S55C、S58C、	2.0~150	1000~4000	2000~21000	JIS G4051:2005	AR、N
		2.0~150	1000~4000	2000~21000		
		2.0~150	1000~4000	2000~21000		



ELECTRICAL STEEL (CRNGO & CRGO)

CRNGO SPECIFICATIONS

1. GRADES: 50W1300,50W1000,50W800,50W600,50W470,50W350,50W290.50W270
2. THICKNESS: 0.5MM & 0.65MM (ALSO 0.35MM)
3. WIDTH: 1200MM
4. INNER DIAMETER: 508MM
5. WEIGHT OF STEEL COIL: 3-8MT

CRGO SPECIFICATIONS:

Thickness (MM)	Grade	Core Losses (w/Kg) 1.7T/50Hz
0.23	M3	0.90
0.27	M4	1.12
0.30	M5	1.30
0.35	M6	1.45
0.23	23ZDKH85	0.85
0.27	27ZDKH90	0.90
0.23	23M-OH	1.00
0.23	TCH-0	0.90
0.27	TCH-1	1.00

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**




NEWCORE GLOBAL PVT. LTD.


REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193


HOT ROLLED STEEL COIL / CUTTING SHEETS/ CHEQ SHEETS

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
Q235B/SS400/A36/S235JR/J2/J0	1.2-25	1000-2000	C/L	GB/EN/JIS/A STM	
SAE1006/1008/1012/SPHC//SPHT1/2	1.2-25	1000-2000	C/L		
S275JR/JO/J2/SPHT3	1.5-25	1000-2000	C/L		
S355JR/A572GR50/q345B	1.5-25	1000-2000	C/L		
S355J0/S355K2	1.8-25	1000-2000	C/L		
S355MC/S420MC/S460MC/S500MC	2.0-18	1000-2000	C/L		
S550MC/S600MC/S650MC/S700MC	2.0-12	1000-2000	C/L		
HP265/295/325, SG255/295	2.0-10	1000-2000	C/L		
S35C/S45C/S50C/S55C/S58C/SK60-95/C20-60	2.0-10	1000-2000	C/L		
NM300/360/400/450/500/550/600	4.0-25	1000-2000	C/L		
SPA-H	3.0-20	1000-2000	C/L		


COLD ROLLED STEEL COIL/ CUTTING SHEETS

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
DC01/SAE1008/SPCC-SD	0.20-3.0	1000-1500	C/L	EN/ASTM/JIS	
DC03/SPCD	0.30-2.5	1000-1500	C/L		
DC04/SPCE	0.30-2.5	1000-1500	C/L		
DC05/SPCF	0.30-2.5	1000-1500	C/L		
DC06/SPCG	0.30-2.5	1000-1500	C/L		
DC04EK	0.30-2.5	1000-1500	C		

BLACK ANNEALED STEEL COILS

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
SPCC/Q195	0.2-2.0	600-1250	C	JIS/GB	

HGI COILS/CUTTING SHEETS

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
SGCC/DX51D/ASTM A653 CS/A OR CS/B	0.20-4.5	1000~1500	C/L	JIG/EN/ASTM	
DX52D/DX53D/DX54D/DX56D	0.40-2.0	1000~1500	C/L		
S220GD/S250GD/S340GD/S550GD	0.4-2.0	1000~1500	C/L		

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**




NEWCORE GLOBAL PVT. LTD.


REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193

PPGI (PPCR)/PPAZ

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
JIS G3322 CGLCC/ASTM A755 CS-B	0.20~2.0	800-1250	C	JIS/ASTM	

GALVALUME

STEEL GRADE	THICKNESS	WIDTH	LENGTH	FOLLOWED STANDARD	
JIS G3321 SGLCC/ ASTM A792 CS-B	0.18~2.0	800~1250	C	JIS/ASTM	

LONG PRODUCTS



H-BEAM



I-BEAM



CHANNEL BAR



ANGLE BAR



BULB FLAT



FLAT STEEL BAR

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**




NEWCORE GLOBAL PVT. LTD.

REGD Office: F1203, Elite Homz, Sector- 77, Noida- 201301

Contact: +91-120-4504252/ 4120193



WELDED STEEL PIPE



SQUARE PIPE



SEAMLESS PIPE



PC STEEL BAR



SQUARE BAR



STEEL RAIL

Our Team

Global General Inquiry: nishant@newcore.net.in/ prashant@newcore.net.in/
arpita@newcore.net.in

Bangladesh General Inquiry: bangladesh@newcore.net.in/
office@newcore.net.in

Thankyou

**Delhi NCR Office- Office No 1126,
I-thum Building, Sector 62, Noida (INDIA)
Email ID: nishant@newcore.net.in,
Mobile: +91-9911538586**

**Dhaka Office: Road No. 19/C,
House No. 284, New DOHSS
Mohakhali, Dhaka-12066
Bangladesh, Ph:+8801713277745
Email ID: bangladesh@newcore.net.in**